Experimental Mechanics (2007) Vol. 47

Index to

EXPERIMENTAL MECHANICS

Volume 47, 2007

TITLE INDEX

A New Device for Mechanical Testing of Blood Vessels at Cryogenic Temperatures, J.L. Jimenez Rios and Y. Rabin, 47(3), 337–346.

A Non-linear Algorithm of Photoelastic Tomography for the Axi-symmetric Problem, H. Aben and A. Errapart, 47(6), 821–830.

A Practical Application of Ultrasonic Thermal Stress Monitoring in Continuous Welded Rails, D. Vangi and A. Virga, 47(5), 617–623.

A Study of Crack-inclusion Interactions and Matrix-inclusion Debonding Using Moiré Interferometry and Finite Element Method, P.C. Savalia and H.V. Tippur, 47(4), 533–547.

Accurate Turbine Inertia Measurement, G. Paniagua and T. Yasa, 47(5), 693–700.

Aerodynamic Coefficients and Deformation Measurements on Flexible Micro Air Vehicle Wings, R. Albertani, B. Stanford, J.P. Hubner and P.G. Ifju, 47(5), 625–635.

An Alternative Mechanism of Non-contact Anterior Cruciate Ligament Injury During Jump-landing: *In-vitro* Simulation, J. Hashemi, N. Chandrashekar, T. Jang, F. Karpat, M. Oseto and S. Ekwaro-Osire, 47(3), 347–354

An Experimental Investigation of Deformation and Fracture of Nacre—Mother of Pearl, F. Barthelat and H.D. Espinosa, 47(3), 311–324.

An *In Situ* Ultrasonic Technique for Simultaneous Measurement of Longitudinal and Shear Wave Speeds in Solids, T.H. Kidd, S. Zhuang and G. Ravichandran, 47(6), 753–759.

Assessment of High Speed Imaging Systems for 2D and 3D Deformation Measurements: Methodology Development and Validation, V. Tiwari, M.A. Sutton and S.R. McNeill, 47(4), 567–579.

Automated Stress Separation Along Stress Trajectories, G. Petrucci and G. Restivo, 47(6), 733–743.

Calibration of Stress-triaxiality Dependent Crack Formation Criteria: A New Hybrid Experimental—Numerical Method, D. Mohr and S. Henn, 47(6), 805–820.

Capillary Adhesion Between Elastically Hard Rough Surfaces, M.P. de Boer, 47(1), 171–183.

Colour Adaptation in Three Fringe Photoelasticity, K.R. Madhu, R.G.R. Prasath and K. Ramesh, 47(2), 271–276.

Coupled Strain and Fresnel Response of Photoelastic Coatings at Oblique Incidence, J.P. Hubner and L. Chen, 47(4), 549–560.

Cure-dependent Viscoelastic Poisson's Ratio of Epoxy, D.J. O'Brien, N.R. Sottos and S.R. White, 47(2), 237–249.

Damping Characterization and Viscoelastic Behavior of Laminated Polymer Matrix Composites Using a Modified Classical Lamination Theory, M.M. Shokrieh and A. Najafi, 47(6), 831–839.

Deduction of Spinal Loading from Vertebral Body Surface Strain Measurments, D.R. Linders and D.J. Nuckley, 47(3), 303–310.

Design of an Impact Loading Machine Based on a Flywheel Device: Application to the Fatigue Resistance of the High Rate Pre-straining Sensitivity of Aluminum Alloys, C. Froustey, M. Lambert, J.L. Charles and J.L. Lataillade, 47(6), 709–721.

Determination of Early Flow Stress for Ductile Specimens at High Strain Rates by Using a SHPB, B. Song, W. Chen, B.R. Antoun and D.J. Frew, 47(5), 671–679.

Development of Patterns for Digital Image Correlation Measurements at Reduced Length Scales, W.A. Scrivens, Y. Luo, M.A. Sutton, S.A. Collette, M.L. Myrick, P. Miney, P.E. Colavita, A.P. Reynolds and X. Li, 47(1), 63–77.

Dynamic Contact Behavior of a Golf Ball during Oblique Impact: Effect of Friction between the Ball and Target, K. Arakawa, T. Mada, H. Komatsu, T. Shimizu, M. Satou, K. Takehara and G. Etoh, 47(2), 277–282.

Elastic Properties and Representative Volume Element of Polycrystalline Silicon for MEMS, S.W. Cho and I. Chasiotis, 47(1), 37–49.

Experimental Techniques for the Mechanical Characterization of One-Dimensional Nanostructures, Y. Zhu, C. Ke and H.D. Espinosa, 47(1), 7–24.

Flexible Probes for Characterizing Surface Topology: From Biology to Technology, A. Vaziri, R.A. Jenks, A.-R. Boloori and G.B. Stanley, 47(3), 417–425.

Flexible Wiper System Dynamic Instabilities: Modelling and Experimental Validation, C. Chevennement-Roux, T. Dreher, P. Alliot, E. Aubry, J.-P. Lainé and L. Jézéquel, 47(2), 201–210.

Full 3D Measurement of Strain Field by Scattered Light for Analysis of Structures, A. Germaneau, P. Doumalin and J.C. Dupré, 47(4), 523–532.

High-speed Photoelastic Stress Analysis of Axially-impacted Finite Column, K. Kawata, S. Hashimoto, Y. Masuda and R. Hayasi, 47(4), 465–471.

Influence of Molecular Conformation on the Constitutive Response of Polyethylene: A Comparison of HDPE, UHMWPE and PEX, E.N. Brown, R.B. Willms, G.T. Gray III, P.J. Rae, C.M. Cady, K.S. Vecchio, J. Flowers and M.Y. Martinez, 47(3), 381–393.

Identification of Impact Damage in S-2 Glass Composite Missile Casings Using Complementary Vibration and Wave Propagation Approaches, H.R. Kess, S. Sundararaman, C.D. Shah, D.E. Adams, S.M. Walsh, C. Pergantis and M. Triplett, 47(4), 497–509.

Intralaboratory Repeatability of Residual Stress Determined by the Slitting Method, M.J. Lee and M.R. Hill, 47(6), 745–752.

Load Extraction from Photoelastic Images Using Neural Networks, V.N. Dubey, G.S. Grewal and D.J. Claremont, 47(2), 263–270.

M-shaped Specimen for the High-strain Rate Tensile Testing Using a Split Hopkinson Pressure Bar Apparatus, D. Mohr and G. Gary, 47(5), 681–692.

Measurement of Deformation and Strain in Nitinol, K.E. Perry, P.E. Labossiere and E. Steffler, 47(3), 373–380.

Measurement of Orthopedic Cortical Bone Screw Insertion Performance in Cadaver Bone and Model Materials, B. Kincaid, L. Schroder and J. Mason, 47(5), 595–607.

Measurement of Residual Stresses in Nuclear-grade Zircaloy-4(R) Tubes—Effect of Heat Treatment, J. Rasty, X. Le, M. Baydogan and J.F. Cárdenas-García, 47(2), 185–199.

Measurement of the Apparent Density of Green Ceramic Tiles by a Non-contact Ultrasonic Method, G.M. Revel, 47(5), 637–648.
Measurement of the Dynamic Bulk and Shear Response of Soft Human Tissues, H. Saraf, K.T. Ramesh, A.M. Lennon, A.C. Merckle and J.C. Roberts, 47(3), 439–449.
Measurements of Two Independent Viscoelastic Functions by Nanoindentation, G. Huang and H. Lu, 47(1), 87–98.
Measuring Fracture Energy in a Brittle Polymeric Material: Application of a High-Speed Optical Extensometer, K. Arakawa and T. Mada, 47(2), 211–216.
Mechanics of Organic, Implant, and Bioinspired Materials: Guest Editorial, E.N. Brown, 47(3), 301–302.
Methods for Examining the Fatigue and Fracture Behavior of Hard Tissues, D. Zhang, A. Nazari, M. Soappman, D. Bajaj and D. Arola, 47(3), 325–336.
Micro- and Nanoscale Deformation Measurement of Surface and Internal Planes via Digital Image Correlation, T.A. Berfield, J.K. Patel, R.G. Shimmin, P.V. Braun, J. Lambros and N.R. Sottos, 47(1), 51–62.
Miniaturized Compression Test at Very High Strain Rates by Direct Impact, J.Z. Malinowski, J.R. Klepaczko and Z.L. Kowalewski, 47(4), 451–463.
Modulus, Fracture Strength, and Brittle vs. Plastic Response of the Outer Shell of Arc-grown Multi-walled Carbon Nanotubes, W. Ding, L. Calabri, K.M. Kohlhaas, X. Chen, D.A. Dikin and R.S. Ruoff, 47(1), 25–36.
Monitoring Microstructural Evolution, Crack Formation and Damage Characteristics near Crack Tip in a Highly Filled Elastomer-Using Digital Radiography X-ray Techniques, C.T. Liu, 47(1), 79–85.
Multiscale Creep Compliance of Epoxy Networks at Elevated Temperatures, T.F. Juliano, M.R. VanLandingham, C.A. Tweedie and K.J. Van Vliet, 47(1), 99–105.
Nanoindentation and Microindentation of CuAINi Shape Memory Alloy, W.C. Crone, H. Brock and A. Creuziger, 47(1), 133–142.
Nanomechanical Property and Nanowear Measurements for Sub-10-nm Thick Films in Magnetic Storage, K.M. Lee, C.-D. Yeo and A.A. Poylcarpou, 47(1), 107–121.
Nanoscale Measurements in Mechanics: Guest Editorial, I. Chasiotis, 47(1), 5–6.
On the Development of a Mesoscale Friction Tester, M. Wang, D. Xu, K. Ravi-Chander and K.M. Liechti, 47(1), 123–131.
On the Investigation of Some Parameter Identification and Experimental Modal Filtering Issues for Nonlinear Reduced Order Models, S.M. Spottswood and R.J. Allemang, 47(4), 511–521.
On the Testing of Vibration Performances of Road Vehicle Suspensions, F. Giorgetta, M. Gobbi and G. Mastinu, 47(4), 485–495.
Onset of Surface Damage in Modular Orthopedic Implants: Influence of Normal Contact Loading and Stress-assisted Dissolution, J.-J. Ryu, V. Dayal and P. Shrotriya, 47(3), 395–403.
Plated and Intact Femur Strains in Fracture Fixation Using Fiber Bragg Gratings and Strain Gauges, P.M. Talaia, A. Ramos, I. Abe, M.W. Schiller, P. Lopes, R.N. Nogueira, J.L. Pinto, R. Claramunt and J.A. Simões, 47(3), 355–363.
Radial Inertia Effects in Kolsky Bar Testing of Extra-soft Specimens, B. Song, Y. Ge, W.W. Chen and T. Weerasooriya, 47(5), 659–670.
Residual Stress Analysis of Orthotropic Materials by the Through-hole Drilling Method, P. Pagliaro and B. Zuccarello, 47(2), 217–236.
Response of Quasi-statically Loaded Corrugated Panels with Partially Restrained Boundaries, G.S. Langdon and G.K. Schleyer, 47(2), 251–261.
Rosetta Stone Experiments. And a Mesomechanical Approach to High-strain-rate Deformation and Fracture (Murray Lecture), D.A. Shockey, 47(5), 581–594.
Scanning Electron Microscopy for Quantitative Small and Large Deformation Measurements Part I: SEM Imaging at Magnifications from 200 to 10,000, M.A. Sutton, N. Li, D.C. Joy, A.P. Reynolds and X. Li, 47(6), 775–787.
Scanning Electron Microscopy for Quantitative Small and Large Deformation Measurements Part II: Experimental Validation for Magnifications from 200 to 10,000, M.A. Sutton, N. Li, D. Garcia, N. Cornille, J.J. Orteu, S.R. McNeill, H.W. Schreier, X. Li and A.P. Reynolds, 47(6), 789–804.
Shear Failure of Inconel 718 under Dynamic Loads, D.A. Shockey, J.W. Simons, C.S. Brown and T. Kobayashi, 47(6), 723–732.
Shell Buckling of Imperfect Multiwalled Carbon Nanotubes—Experiments and Analysis, P.R. Guduru and Z. Xia, 47(1), 153–161.
SI-Traceable Spring Constant Calibration of Microfabricated Cantilevers for Small Force Measurement, G.A. Shaw, J. Kramar and J. Pratt, 47(1), 143–151.
Static Finite Element Validation of a Flexible Micro Air Vehicle, B. Stanford, R. Albertani and P. Ifju, 47(2), 283–294.
Statistical Analysis of the Effect of Intensity Pattern Noise on the Displacement Measurement Precision of Digital Image Correlation Using Self-correlated Images, Z.Y. Wang, H.Q. Li, J.W. Tong and J.T. Ruan, 47(5), 701–707.
Strain Measurements of Silicon Dioxide Microspecimens by Digital Imaging Processing, W.N. Sharpe, Jr., J. Pulskamp, D.S. Gianola, C. Eberl, R.G. Polcawich and R.J. Thompson, 47(5), 649–658.
Stress and Moisture Effects on Thin Film Buckling Delamination, P. Waters and A.A Volinsky, 47(1), 163–170.
Superelasticity in a New BioImplant Material: Ni-rich 55NiTi Alloy, R.R. Adharapurapu and K.S. Vecchio, 47(3), 365–371.
Tailoring Beam Mechanics Towards Enhancing Detection of Hazardous Biological Species, S. Morshed and B.C. Prorok, 47(3), 405–415.
TECHNICAL NOTE: Optical Sensing Limits in Contact and Bending Mode Atomic Force Microscopy, T.W. Ng and S. Thirunavukkarasu, 47(6), 841–844.
TECHNICAL NOTE: Testing Aluminum Alloy from Quasi-static to Dynamic Strain-rates with a Modified Split Hopkinson Bar Method, R. Othman and G. Gary, 47(2), 295–299.
Three-dimensional Full-field Measurements of Large Deformations in Soft Materials Using Confocal Microscopy and Digital Volume Correlation, C. Franck, S. Hong, S.A. Maskarinec, D.A. Tirrell and G. Ravichandran, 47(3), 427–438.
Unsteady Dynamic Crack Propagation in a Brittle Polymer, K. Arakawa and T. Mada, 47(5), 609–615.
Use of 3-D Digital Image Correlation to Characterize the Mechanical Behavior of a Fiber Reinforced Refractory Castable, L. Robert, F. Nazaret, T. Cutard, J.-J. Orteu, 47(6), 761–773.
Use of Scanning Electron Microscope and the Non-local Isotropic Damage Model to Investigate Fracture Process Zone in Notched Concrete Beams, H. Hadjab.S, M. Chabaat and J.-Fr. Thimus, 47(4), 473–484.

AUTHOR INDEX

Abe, I.—Plated and Intact Femur Strains in Fracture Fixation Using Fiber Bragg Gratings and Strain Gauges, 47(3), 355–363.

Aben, H.—A Non-linear Algorithm of Photoelastic Tomography for the Axisymmetric Problem, 47(6), 821–830.

Adams, D.E.—Identification of Impact Damage in S-2 Glass Composite Missile Casings Using Complementary Vibration and Wave Propagation Approaches, 47(4), 497–509.

Adharapurapu, R.R.—Superelasticity in a New BioImplant Material: Ni-rich 55NiTi Alloy, 47(3), 365–371.

Albertani, R.—Aerodynamic Coefficients and Deformation Measurements on Flexible Micro Air Vehicle Wings, 47(5), 625–635.

Albertani, R.—Static Finite Element Validation of a Flexible Micro Air Vehicle, 47(2), 283–294.

Allemang, R.J.—On the Investigation of Some Parameter Identification and Experimental Modal Filtering Issues for Nonlinear Reduced Order Models, 47(4), 511–521.

Alliot, P.—Flexible Wiper System Dynamic Instabilities: Modelling and Experimental Validation, 47(2), 201–210.

Antoun, B.R.—Determination of Early Flow Stress for Ductile Specimens at High Strain Rates by Using a SHPB, 47(4), 671–679.

Arakawa, K.—Dynamic Contact Behavior of a Golf Ball during Oblique Impact: Effect of Friction between the Ball and Target, 47(2), 277–282.

Arakawa, K.—Measuring Fracture Energy in a Brittle Polymeric Material: Application of a High-Speed Optical Extensometer, 47(2), 211–216.

Arakawa, K.—Unsteady Dynamic Crack Propagation in a Brittle Polymer, 47(5), 609–615.

Arola, D.—Methods for Examining the Fatigue and Fracture Behavior of Hard Tissues, 47(3), 325–336.

Aubry, E.—Flexible Wiper System Dynamic Instabilities: Modelling and Experimental Validation, 47(2), 201–210.

Bajaj, D.—Methods for Examining the Fatigue and Fracture Behavior of Hard Tissues, 47(3), 325–336.

Barthelat, F.—An Experimental Investigation of Deformation and Fracture of Nacre—Mother of Pearl, 47(3), 311–324.

Baydogan, M.—Measurement of Residual Stresses in Nuclear-grade Zircaloy-4(R) Tubes—Effect of Heat Treatment, 47(2), 185–199.

Berfield, T.A.—Micro- and Nanoscale Deformation Measurement of Surface and Internal Planes via Digital Image Correlation, 47(1), 51–62.

Boloori, A.-R.—Flexible Probes for Characterizing Surface Topology: From Biology to Technology, 47(3), 417–425.

Braun, P.V.—Micro- and Nanoscale Deformation Measurement of Surface and Internal Planes via Digital Image Correlation, 47(1), 51–62.

Brown, C.S.—Shear Failure of Inconel 718 under Dynamic Loads, 47(6), 723–732.

Brown, E.N.—Influence of Molecular Conformation on the Constitutive Response of Polyethylene: A Comparison of HDPE, UHMWPE and PEX, 47(3), 381–393.

Brown, E.N.—Mechanics of Organ, Implant and Bioinspired Materials: Guest Editorial, 47(3), 301–302.

Brock, H.—Nanoindentation and Microindentation of CuAlNi Shape Memory Alloy, 47(1), 133–142.

Cady, C.M.—Influence of Molecular Conformation on the Constitutive Response of Polyethylene: A Comparison of HDPE, UHMWPE and PEX, 47(3), 381–393.

Calabri, L.—Modulus, Fracture Strength, and Brittle vs. Plastic Response of the Outer Shell of Arc-grown Multi-walled Carbon Nanotubes, 47(1), 25–36.

Cárdenas-García, J.F.—Measurement of Residual Stresses in Nuclear-grade Zircaloy-4(R) Tubes—Effect of Heat Treatment, 47(2), 185–199

Chabaat, M.—Use of Scanning Electron Microscope and the Non-local Isotropic Damage Model to Investigate Fracture Process Zone in Notched Concrete Beams, 47(4), 473–484.

Chandrashekar, N.—An Alternative Mechanism of Non-contact Anterior Cruciate Ligament Injury During Jump-landing: *In-vitro* Simulation, 47(3), 347–354.

Charles, J.L.—Design of an Impact Loading Machine Based on a Flywheel Device: Application to the Fatigue Resistance of the High Rate Pre-straining Sensitivity of Aluminum Alloys, 47(6), 709–721.

Chasiotis, I.—Elastic Properties and Representative Volume Element of Polycrystalline Silicon for MEMS, 47(1), 37–49.

Chasiotis, I.—Nanoscale Measurements in Mechanics: Guest Editorial, 47(1), 5–6.

Chen, L.—Coupled Strain and Fresnel Response of Photoelastic Coatings at Oblique Incidence, 47(4), 549–560.

Chen, W.—Determination of Early Flow Stress for Ductile Specimens at High Strain Rates by Using a SHPB, 47(4), 671–679.

Chen, W.W.—Radial Inertia Effects in Kolsky Bar Testing of Extra–soft Speciments, 47(5), 659–670.

Chen, X.—Modulus, Fracture Strength, and Brittle vs. Plastic Response of the Outer Shell of Arc-grown Multi-walled Carbon Nanotubes, 47(1), 25–36.

Chevennement-Roux, C.—Flexible Wiper System Dynamic Instabilities: Modelling and Experimental Validation, 47(2), 201–210.

Cho, S.W.—Elastic Properties and Representative Volume Element of Polycrystalline Silicon for MEMS, 47(1), 37–49.

Claramunt, R.—Plated and Intact Femur Strains in Fracture Fixation Using Fiber Bragg Gratings and Strain Gauges, 47(3), 355–363.

Claremont, D.J.—Load Extraction from Photoelastic Images Using Neural Networks, 47(2), 263–270.

Colavita, P.E.—Development of Patterns for Digital Image Correlation Measurements at Reduced Length Scales, 47(1), 63–77.

Collette, S.A.—Development of Patterns for Digital Image Correlation Measurements at Reduced Length Scales, 47(1), 63–77.

Cornille, N.—Scanning Electron Microscopy for Quantitative Small and Large Deformation Measurements Part II: Experimental Validation for Magnifications from 200 to 10,000, 47(6), 789–804.

Creuziger, A.—Nanoindentation and Microindentation of CuAlNi Shape Memory Alloy, 47(1), 133–142.

Crone, W.C.—Nanoindentation and Microindentation of CuAlNi Shape Memory Alloy, 47(1), 133–142.

Cutard, T.—Use of 3-D Digital Image Correlation to Characterize the Mechanical Behavior of a Fiber Reinforced Refractory Castable, 47(6), 761–773.

Dayal, V.—Onset of Surface Damage in Modular Orthopedic Implants: Influence of Normal Contact Loading and Stress-assisted Dissolution, 47(3), 395–403.

de Boer, M.P.—Capillary Adhesion Between Elastically Hard Rough Surfaces, 47(1), 171–183.

Dikin, D.A.—Modulus, Fracture Strength, and Brittle vs. Plastic Response of the Outer Shell of Arc-grown Multi-walled Carbon Nanotubes, 47(1), 25–36.

Ding, W.—Modulus, Fracture Strength, and Brittle vs. Plastic Response of the Outer Shell of Arc-grown Multi-walled Carbon Nanotubes, 47(1), 25–36.

Doumalin, P.—Full 3D Measurement of Strain Field by Scattered Light for Analysis of Structures, 47(4)523–532.

Dreher, T.—Flexible Wiper System Dynamic Instabilities: Modelling and Experimental Validation, 47(2), 201–210.

Dubey, V.N.—Load Extraction from Photoelastic Images Using Neural Networks, 47(2), 263–270.

Dupré, J.C.—Full 3D Measurement of Strain Field by Scattered Light for Analysis of Structures, 47(4), 523–532.

Eberl, C.—Strain Measurements of Silicon Dioxide Microspecimens by Digital Imaging Processing, 47(5), 649–658.

Ekwaro-Osire, S.—An Alternative Mechanism of Non-contact Anterior Cruciate Ligament Injury During Jump-landing: *In-vitro* Simulation, 47(3), 347–354.

Errapart, A.—A Non-linear Algorithm of Photoelastic Tomography for the Axisymmetric Problem, 47(6), 821–830.

Espinosa, H.D.—An Experimental Investigation of Deformation and Fracture of Nacre—Mother of Pearl, 47(3), 311–324.

Espinosa, H.D.—Experimental Techniques for the Mechanical Characterization of One-Dimensional Nanostructures, 47(1), 7–24.

Etoh, G.—Dynamic Contact Behavior of a Golf Ball during Oblique Impact: Effect of Friction between the Ball and Target, 47(2), 277–282.

Flowers, J.—Influence of Molecular Conformation on the Constitutive Response of Polyethylene: A Comparison of HDPE, UHMWPE and PEX, 47(3), 381–393.

Franck, C.—Three-dimensional Full-field Measurements of Large Deformations in Soft Materials Using Confocal Microscopy and Digital Volume Correlation, 47(3), 427–438.

Frew, D.J.—Determination of Early Flow Stress for Ductile Specimens at High Strain Rates by Using a SHPB, 47(4), 671–679.

Froustey, C.—Design of an Impact Loading Machine Based on a Flywheel Device: Application to the Fatigue Resistance of the High Rate Pre-straining Sensitivity of Aluminum Alloys, 47(6), 709–721.

Garcia, D.—Scanning Electron Microscopy for Quantitative Small and Large Deformation Measurements Part II: Experimental Validation for Magnifications from 200 to 10,000, 47(6), 789–804.

Gary, G.—M-shaped Specimen for the High-strain Rate Tensile Testing Using a Split Hopkinson Pressure Bar Apparatus, 47(5), 681–692.

Gary G.— TECHNICAL NOTE: Testing Aluminum Alloy from Quasi-static to Dynamic Strain-rates with a Modified Split Hopkinson Bar Method, 47(2), 295–299.

Ge, Y.—Radial Inertia Effects in Kolsky Bar Testing of Extra-soft Speicmens, 47(5), 659–670.

Germaneau, A.—Full 3D Measurement of Strain Field by Scattered Light for Analysis of Structures, 47(4), 523–532.

Gianola, D.S.—Strain Measurements of Silicon Dioxide Microspecimens by Digital Imaging Processing, 47(5), 649–658.

Giorgetta, F.—On the Testing of Vibration Performances of Road Vehicle Suspensions, 47(4), 485-495.

Gobbi, M.—On the Testing of Vibration Performances of Road Vehicle Suspensions, 47(4), 485-495.

Gray, III G.T.—Influence of Molecular Conformation on the Constitutive Response of Polyethylene: A Comparison of HDPE, UHMWPE and PEX, 47(3), 381–393.

Grewel, G.S.—Load Extraction from Photoelastic Images Using Neural Networks, 47(2), 263–270.

Guduru, P.R.—Shell Buckling of Imperfect Multiwalled Carbon Nanotubes—Experiments and Analysis, 47(1), 153–161.

Hadjab.S, H.—Use of Scanning Electron Microscope and the Non-local Isotropic Damage Model to Investigate Fracture Process Zone in Notched Concrete Beams, 47(4), 473–484.

Hashemi, J.—An Alternative Mechanism of Non-contact Anterior Cruciate Ligament Injury During Jump-landing: *In-vitro* Simulation, 47(3), 347–354.

Hashimoto, S.—High-speed Photoelastic Stress Analysis of Axially-impacted Finite Column, 47(4), 465–471.

Hayasi, R.—High-speed Photoelastic Stress Analysis of Axially-impacted Finite Column, 47(4), 465–471.

Henn, S.—Calibration of Stress-triaxiality Dependent Crack Formation Criteria: A New Hybrid Experimental—Numberical Method, 47(6), 805–820.

Hill, M.R.—Intralaboratory Repeatability of Residual Stress Determined by the Slitting Method, 47(6), 745–752.

Hong, S.—Three-dimensional Full-field Measurements of Large Deformations in Soft Materials Using Confocal Microscopy and Digital Volume Correlation, 47(3), 427–438.

Huang, G.—Measurements of Two Independent Viscoelastic Functions by Nanoindentation, 47(1), 87–98.

Hubner, J.P.—Aerodynamic Coefficients and Deformation Measurements on Flexible Micro Air Vehicle Wings, 47(5), 625–635.

Hubner, J.P.—Coupled Strain and Fresnel Response of Photoelastic Coatings at Oblique Incidence, 47(4), 546–560.

Ifju, P.G.—Aerodynamic Coefficients and Deformation Measurements on Flexible Micro Air Vehicle Wings, 47(5), 625–635.

Ifju, P.G.—Static Finite Element Validation of a Flexible Micro Air Vehicle, 47(2), 283–294.

Jang, T.—An Alternative Mechanism of Non-contact Anterior Cruciate Ligament Injury During Jump-landing: *In-vitro* Simulation, 47(3), 347–354.

Jenks, R.A.—Flexible Probes for Characterizing Surface Topology: From Biology to Technology, 47(3), 417–425.

Jimenez Rios, J.L.—A New Device for Mechanical Testing of Blood Vessels at Cryogenic Temperatures, 47(3), 337–346.

Jézéquel, L.—Flexible Wiper System Dynamic Instabilities: Modelling and Experimental Validation, 47(2), 201–210.

Joy, D.C—Scanning Electron Microscopy for Quantitative Small and Large Deformation Measurements Part I: SEM Imaging at Magnifications from 200 to 10,000, 47(6), 775–787.

Juliano, T.F.—Multiscale Creep Compliance of Epoxy Networks at Elevated Temperatures, 47(1), 99–105.

Karpat, F.—An Alternative Mechanism of Non-contact Anterior Cruciate Ligament Injury During Jump-landing: *In-vitro* Simulation, 47(3), 347–354.

Kawata, K.—High-speed Photoelastic Stress Analysis of Axially-impacted Finite Column, 47(4), 465–471.

Ke, C.—Experimental Techniques for the Mechanical Characterization of One-Dimensional Nanostructures, 47(1), 7–24.

Kess, H.R.—Identification of Impact Damage in S-2 Glass Composite Missile Casings Using Complementary Vibration and Wave Propagation Approaches, 47(4), 497–509.

Kidd, T.H.—An *In Situ* Ultrasonic Technique for Simultaneous Measurement of Longitudinal and Shear Wave Speeds in Solids, 47(6), 753–759.

Kincaid, B.—Measurement of Orthopedic Cortical Bone Screw Insertion Performance in Cadaver Bone and Model Materials, 47(5), 595–607.

Klepaczko, J.R.—Miniaturized Compression Test at Very High Strain Rates by Direct Impact, 47(4), 451–463.

Kobayashi, T.—Shear Failure of Inconel 718 under Dynamic Loads, 47(6), 723–732

Kohlhaas, K.M.—Modulus, Fracture Strength, and Brittle vs. Plastic Response of the Outer Shell of Arc-grown Multi-walled Carbon Nanotubes, 47(1), 25–36.

Komatsu, H.—Dynamic Contact Behavior of a Golf Ball during Oblique Impact: Effects of Friction between the Ball and Target, 47(2), 277–282.

Kowalewski, Z.L.—Miniaturized Compression Test at Very High Strain Rates by Direct Impact, 47(4), 451–463.

Kramar, J.—SI- Traceable Spring Constant Calibration of Micro-fabricated Cantilevers for Small Force Measurement, 47(1), 143–151.

Labossiere, P.E.—Measurement of Deformation and Strain in Nitinol, 47(3), 373–380.

Lainé, J.-P.—Flexible Wiper System Dynamic Instabilities: Modelling and Experimental Validation, 47(2), 201–210.

Lambert, M.—Design of an Impact Loading Machine Based on a Flywheel Device: Application to the Fatigue Resistance of the High Rate Pre-straining Sensitivity of Aluminum Alloys, 47(6), 709–721.

Lambros, J.—Micro- and Nanoscale Deformation Me surement of Surface and Internal Planes via Digital Image Correlation, 47(1), 51–62.

Langdon, G.S.—Response of Quasi-statically Loaded Corrugated Panels with Partially Restrained Boundaries, 47(2), 251–261.

Lataillade, J.L.—Design of an Impact Loading Machine Based on a Flywheel Device: Application to the Fatigue Resistance of the High Rate Pre-straining Sensitivity of Aluminum Alloys, 47(6), 709–721.

Le, X.—Measurement of Residual Stresses in Nuclear-grade Zircaloy-4(R) Tubes—Effect of Heat Treatment, 47(2), 185–199.

Lee, K.M.—Nanomechanical Property and Nanowear Measurements for Sub-10-nm Thick Films in Magnetic Storage, 47(1), 107–121.

Lee, M.J.—Intralaboratory Repeatability of Residual Stress Determined by the Slitting Method, 47(6), 745–752.

Lennon, A.M.—Measurement of the Dynamic Bulk and Shear Response of Soft Human Tissues, 47(3), 439–449.

Li, H.Q.—Statistical Analysis of the Effect of Intensity Pattern Noise on the Displacement Measurement Precision of Digital Image Correlation Using Self-correlated Images, 47(5), 701–707.

Li, N.—Scanning Electron Microscopy for Quantitative Small and Large Deformation Measurements Part I: SEM Imaging at Magnifications from 200 to 10,000, 47(6), 775–787.

Li, N.—Scanning Electron Microscopy for Quantitative Small and Large Deformation Measurements Part II: Experimental Validation for Magnifications from 200 to 10,000, 47(6), 789–804.

Li, X.—Development of Patterns for Digital Image Correlation Measurements at Reduced Length Scales, 47(1), 63–77.

Li, X.—Scanning Electron Microscopy for Quantitative Small and Large Deformation Measurements Part I: SEM Imaging at Magnifications from 200 to 10,000, 47(6), 775–787.

Li, X.—Scanning Electron Microscopy for Quantitative Small and Large Deformation Measurements Part II: Experimental Validation for Magnifications from 200 to 10,000, 47(6), 789–804.

Liechti, K.M.—On the Development of a Mesoscale Friction Tester, 47(1), 123–131.

Linders, D.R.—Deduction of Spinal Loading from Vertebral Body Surface Strain Measurments, 47(3), 303–310.

Liu, C.T.—Monitoring Microstructural Evolution, Crack Formation and Damage Characteristics near Crack Tip in a Highly Filled Elastomer-Using Digital Radiography X-ray Techniques, 47(1), 79–85.

Lopes, P.—Plated and Intact Femur Strains in Fracture Fixation Using Fiber Bragg Gratings and Strain Gauges, 47(3), 355–36.

Lu, H.—Measurements of Two Independent Viscoelastic Functions by Nanoindentation, 47(1), 87–98.

Luo, Y.—Development of Patterns for Digital Image Correlation Measurements at Reduced Length Scales, 47(1), 63–77.

Mada, T.—Dynamic Contact Behavior of a Golf Ball during Oblique Impact: Effect of Friction between the Ball and Target, 47(2), 277–282.

Mada, T.—Measuring Fracture Energy in a Brittle Polymeric Material: Application of a High-Speed Optical Extensometer, 47(2), 211–216.

Mada, T.—Unsteady Dynamic Crack Propagation in a Brittle Polymer, 47(5), 609–615.

Madhu, K.R.—Colour Adaptation in Three Fringe Photoelasticity, 47(2), 271–276.

Malinowski, J.Z.—Miniaturized Compression Test at Very High Strain Rates by Direct Impact, 47(4), 451–463.

Martinez, M.Y.—Influence of Molecular Conformation on the Constitutive Response of Polyethylene: A Comparison of HDPE, UHMWPE and PEX, 47(3), 381–393.

Maskarinec, S.A.—Three-dimensional Full-field Measurements of Large Deformations in Soft Materials Using Confocal Microscopy and Digital Volume Correlation, 47(3), 427–438.

Mason, J.—Measurement of Orthopedic Cortical Bone Screw Insertion Performance in Cadaver Bone and Model Materials, 47(5), 595–607.

Mastinu, G.—On the testing of Vibration Performances of Road Vehicle Suspension, 47(4), 485–495.

Masuda, Y.—High-speed Photoelastic Stress Analysis of Axially-impacted Finite Column, 47(4), 465–471.

McNeill, S.R.—Assessment of High Speed Imaging Systems for 2D and 3D Deformation Measurements: Methodology Development and Validation, 47(4), 561–579.

McNeill, S.R.—Scanning Electron Microscopy for Quantitative Small and Large Deformation Measurements Part II: Experimental Validation for Magnifications from 200 to 10,000, 47(6), 789–804.

Merckle, A.C.—Measurement of the Dynamic Bulk and Shear Response of Soft Human Tissues, 47(3), 439–449.
Miney, P.—Development of Patterns for Digital Image Correlation Measurements at Reduced Length Scales, 47(1), 63–77.
Mohr, D.—Calibration of Stress-triaxiality Dependent Crack Formation Criteria: A New Hybrid Experimental—Numerical Method, 47(6), 805–820.
Mohr, D.—M-shaped Specimen for the High-strain Rate Tensile Testing Using a Split Hopkinson Pressure Bar Apparatus, 47(5), 681–392.
Morshed, S.—Tailoring Beam Mechanics Towards Enhancing Detection of Hazardous Biological Species, 47(3), 405–415.
Myrick, M.L.—Development of Patterns for Digital Image Correlation Measurements at Reduced Length Scales, 47(1), 63–77.
Najafi, A.—Damping Characterization and Viscoelastic Behavior of Laminated Polymer Matrix Composites Using a Modified Classical Lamination Theory, 47(6), 831–839.
Nazaret, F.—Use of 3-D Digital Image Correlation to Characterize the Mechanical Behavior of a Fiber Reinforced Refractory Castable, 47(6), 761–773.
Nazari, A.—Methods for Examining the Fatigue and Fracture Behavior of Hard Tissues, 47(3), 325–336.
Ng, T.W.— TECHNICAL NOTE: Optical Sensing Limits in Contact and Bending Mode Atomic Force Microscopy, 47(6), 841–844.
Nogueira, R.N.—Plated and Intact Femur Strains in Fracture Fixation Using Fiber Bragg Gratings and Strain Gauges, 47(3), 355–363.
Nuckley, D.J.—Deduction of Spinal Loading from Vertebral Body Surface Strain Measurments, 47(3), 303–310.
O'Brien, D.J.—Cure- dependent Viscoelastic Poisson's Ratio of Epoxy, 47(2), 237–249.
Orteu, J.-J.—Scanning Electron Microscopy for Quantitative Small and Large Deformation Measurements Part II: Experimental Validation for Magnifications from 200 to 10,000, 47(6), 789–804.
Orteu, J.-J.—Use of 3-D Digital Image Correlation to Characterize the Mechanical Behavior of a Fiber Reinforced Refractory Castable, 47(6), 761–773.
Oseto, M.—An Alternative Mechanism of Non-contact Anterior Cruciate Ligament Injury During Jump-landing: *In-vitro* Simulation, 47(3), 347–354.
Othman, R.—TECHNICAL NOTE: Testing Aluminum Alloy from Quasi-static to Dynamic Strain-rates with a Modified Split Hopkinson Bar Method, 47(2), 295–299.
Pagliaro, P.—Residual Stress Analysis of Orthotropic Materials by the Through-hole Drilling Method, 47(2), 217–236.
Paniagua, G.—Accurate Turbine Inertia Measurement, 47(5), 693–700.
Patel, J.K.—Micro- and Nanoscale Deformation Measurement of Surface and Internal Planes via Digital Image Correlation, 47(1), 51–62.
Pergantis, C.—Identification of Impact Damage in S-2 Glass Composite Missile Casings Using Complementary Vibration and Wave Propagation Approaches, 47(4), 497–509.
Perry, K.E.—Measurement of Deformation and Strain in Nitinol, 47(3), 373–380.
Petrucci, G.—Automated Stress Separation Along Stress Trajectories, 47(6), 733–743.
Pinto, J.L.—Plated and Intact Femur Strains in Fracture Fixation Using Fiber Bragg Gratings and Strain Gauges, 47(3), 355–363.
Polcawich, R.G.—Strain Measurements of Silicon Dioxide Microspecimens by Digital Imaging Processing, 47(5), 649–658.
Polycarpou, A.A.—Nanomechanical Property and Nanowear Measurements for Sub-10-nm Thick Films in Magnetic Storage, 47(1), 107–121.
Prasath, R.G.R.—Colour Adaptation in Three Fringe Photoelasticity, 47(2), 271–276.
Pratt, J.—SI- Traceable Spring Constant Calibration of Microfabricated Cantilevers for Small Force Measurement, 47(1), 143–151.
Prorok, B.C.—Tailoring Beam Mechanics Towards Enhancing Detection of Hazardous Biological Species, 47(3), 405–412.
Pulskamp, J.—Strain Measurements of Silicon Dioxide Microspecimens by Digital Imaging Processing, 47(5), 649–658.
Rabin, Y.—A New Device for Mechanical Testing of Blood Vessels at Cryogenic Temperatures, 47(3), 337–346.
Rae, P.J.—Influence of Molecular Conformation on the Constitutive Response of Polyethylene: A Comparison of HDPE, UHMWPE and PEX, 47(3), 381–393.
Ramesh, K.—Colour Adaptation in Three Fringe Photoelasticity, 47(2), 271–276.
Ramesh, K.T.—Measurement of the Dynamic Bulk and Shear Response of Soft Human Tissues, 47(3), 439–449.
Ramos, A.—Plated and Intact Femur Strains in Fracture Fixation Using Fiber Bragg Gratings and Strain Gauges, 47(3), 355–363.
Rasty, J.—Measurement of Residual Stresses in Nuclear-grade Zircaloy-4(R) Tubes—Effect of Heat Treatment, 47(2), 185–199.
Ravi-Chander, K.—On the Development of a Mesoscale Friction Tester, 47(1), 123–131.
Ravichandran, G.—An *In Situ* Ultrasonic Technique for Simultaneous Measurement of Longitudinal and Shear Wave Speeds in Solids, 47(6), 753–759.
Ravichandran, G.—Three-dimensional Full-field Measurements of Large Deformations in Soft Materials Using Confocal Microscopy and Digital Volume Correlation, 47(3), 427–438.
Restivo, G.—Automated Stress Separation Along Stress Trajectories, 47(6), 733–743.
Revel, G.M.—Measurement of the Apparent Density of Green Ceramic Tiles by a Non-contact Ultrasonic Method, 47(5), 637–648.
Reynolds, A.P.—Development of Patterns for Digital Image Correlation Measurements at Reduced Length Scales, 47(1), 63–77.
Reynolds, A.P.—Scanning Electron Microscopy for Quantitative Small and Large Deformation Measurements Part I: SEM Imaging at Magnifications from 200 to 10,000, 47(6), 775–787.
Reynolds, A.P.—Scanning Electron Microscopy for Quantitative Small and Large Deformation Measurements Part II: Experimental Validation for Magnifications from 200 to 10,000, 47(6), 789–804.
Robert, L.—Use of 3-D Digital Image Correlation to Characterize the Mechanical Behavior of a Fiber Reinforced Refractory Castable, 47(6), 761–773.
Roberts, J.C.—Measurement of the Dynamic Bulk and Shear Response of Soft Human Tissues, 47(3), 439–449.
Ruan, J.T.—Statistical Analysis of the Effect of Intensity Pattern Noise on the Displacement Measurement Precision of Digital Image Correlation Using Self-correlated Images, 47(5), 701–707.

Ruoff, R.S.—Modulus, Fracture Strength, and Brittle vs. Plastic Response of the Outer Shell of Arc-grown Multi-walled Carbon Nanotubes, 47(1), 25–36.

Ryu, J.-J.—Onset of Surface Damage in Modular Orthopedic Implants: Influence of Normal Contact Loading and Stress-assisted Dissolution, 47(3), 395–403.

Saraf, H.—Measurement of the Dynamic Bulk and Shear Response of Soft Human Tissues, 47(3), 439–449.

Satou, M.—Dynamic Contact Behavior of a Golf Ball during Oblique Impact: Effect of Friction between the Ball and Target, 47(2), 277–282.

Savalia, P.C.—A Study of Crack-inclusion Interactions and Matrix-inclusion Debonding Using Moiré Interferometry and Finite Element Method, 47(4), 533–547.

Schiller, M.W.—Plated and Intact Femur Strains in Fracture Fixation Using Fiber Bragg Gratings and Strain Gauges, 47(3), 355–363.

Schleyer, G.K.—Response of Quasi-statically Loaded Corrugated Panels with Partially Restrained Boundaries, 47(2), 251–261.

Schreier, H.W.—Scanning Electron Microscopy for Quantitative Small and Large Deformation Measurements Part II: Experimental Validation for Magnifications from 200 to 10,000, 47(6), 789–804.

Schroder, L.—Measurement of Orthopedic Cortical Bone Screw Insertion Performance in Cadaver Bone and Model Materials, 47(5), 595–607.

Scrivens, W.A.—Development of Patterns for Digital Image Correlation Measurements at Reduced Length Scales, 47(1), 63–77.

Shah, C.D.—Identification of Impact Damage in S-2 Glass Composite Missile Casings Using Complementary Vibration and Wave Propagation Approaches, 47(4), 497–509.

Sharpe, Jr., W.N.—Strain Measurements of Silicon Dioxide Microspecimens by Digital Imaging Processing, 47(5), 649–658.

Shaw, G.A.—SI- Traceable Spring Constant Calibration of Microfabricated Cantilevers for Small Force Measurement, 47(1), 143–151.

Shimizu, T.—Dynamic Contact Behavior of a Golf Ball during Oblique Impact: Effect of Friction between the Ball and Target, 47(2), 277–282.

Shimmin, R.G.—Micro- and Nanoscale Deformation Measurement of Surface and Internal Planes via Digital Image Correlation, 47(1), 51–62.

Shockey, D.A.—Rosetta Stone Experiments. And a Mesomechanical Approach to High-strain-rate Deformation and Fracture (Murray Lecture), 47(5), 581–594.

Shockey, D.A.—Shear Failure of Inconel 718 under Dynamic Loads, 47(6), 723–732.

Shokrieh, M.M.—Damping Characterization and Viscoelastic Behavior of Laminated Polymer Matrix Composites Using a Modified Classical Lamination Theory, 47(6), 831–839.

Shrotriya, P.—Onset of Surface Damage in Modular Orthopedic Implants: Influence of Normal Contact Loading and Stress-assisted Dissolution, 47(3), 395–403.

Simões, J.A.—Plated and Intact Femur Strains in Fracture Fixation Using Fiber Bragg Gratings and Strain Gauges, 47(3), 355–363.

Simons, J.W.—Shear Failure of Inconel 718 under Dynamic Loads, 47(6), 723–732.

Soappman, M.—Methods for Examining the Fatigue and Fracture Behavior of Hard Tissues, 47(3), 325–336.

Song, B.—Determination of Early Flow Stress for Ductile Specimens at High Strain Rates by Using a SHPB, 47(5), 671–679.

Song, B.—Radial Inertia Effects in Kolsky Bar Testing of Extra-soft Specimens, 47(5), 659–670.

Sottos, N.R.—Cure- dependent Viscoelastic Poisson's Ratio of Epoxy, 47(2), 237–249.

Sottos, N.R.—Micro- and Nanoscale Deformation Measurement of Surface and Internal Planes via Digital Image Correlation, 47(1), 51–62.

Spottswood, S.M.—On the Investigation of Some Parameter Identification and Experimental Modal Filtering Issues for Nonlinear Reduced Order Models, 47(4), 511–521.

Stanford, B.—Aerodynamic Coefficients and Deformation Measurements on Flexible Micro Air Vehicle Wings, 47(5), 625–635.

Stanford, B.—Static Finite Element Validation of a Flexible Micro Air Vehicle, 47(2), 283–294.

Stanley, G.B.—Flexible Probes for Characterizing Surface Topology: From Biology to Technology, 47(3), 417–425.

Steffler, E.—Measurement Measurement of Deformation and Strain in Nitinol, 47(3), 373–380.

Sundararaman, S.—Identification of Impact Damage in S-2 Glass Composite Missile Casings Using Complementary Vibration and Wave Propagation Approaches, 47(4), 497–509.

Sutton, M.A.—Assessment of High Speed Imaging Systems for 2D and 3D Deformation Measurements: Methodology Development and Validation, 47(4), 561–579.

Sutton, M.A.—Development of Patterns for Digital Image Correlation Measurements at Reduced Length Scales, 47(1), 63–77.

Sutton, M.A.—Scanning Electron Microscopy for Quantitative Small and Large Deformation Measurements Part I: SEM Imaging at Magnifications from 200 to 10,000, 47(6), 775–787.

Sutton, M.A.—Scanning Electron Microscopy for Quantitative Small and Large Deformation Measurements Part II: Experimental Validation for Magnifications from 200 to 10,000, 47(6), 789–804.

Takehara, K.—Dynamic Contact Behavior of a Golf Ball during Oblique Impact: Effect of Friction between the Ball and Target, 47(2), 277–282.

Talaia, P.M.—Plated and Intact Femur Strains in Fracture Fixation Using Fiber Bragg Gratings and Strain Gauges, 47(3), 355–363.

Thimus, J.-Fr.—Use of Scanning Electron Microscope and the Non-local Isotropic Damage Model to Investigate Fracture Process Zone in Notched Concrete Beams, 47(4), 473–484.

Thirunavukkarasu, S.—TECHNICAL NOTE: Optical Sensing Limits in Contact and Bending Mode Atomic Force Microscopy, 47(6), 841–844.

Thompson, R.J.—Strain Measurements of Silicon Dioxide Microspecimens by Digital Imaging Processing, 47(5), 649–658.

Tippur, H.V.—A Study of Crack-inclusion Interactions and Matrix-inclusion Debonding Using Moiré Interferometry and Finite Element Method, 47(4), 533–547.

Tirrell, D.A.—Three- dimensional Full-field Measurements of Large Deformations in Soft Materials Using Confocal Microscopy and Digital Volume Correlation, 47(3), 427–438.

Tiwari, V.—Assessment of High Speed Imaging Systems for 2D and 3D Deformation Measurements: Methodology Development and Validation, 47(4), 561–579.

Tong, J.W.—Statistical Analysis of the Effect of Intensity Pattern Noise on the Displacement Measurement Precision of Digital Image Correlation Using Self–correlated Images, 47(5), 701–707.

Triplett, M.—Identification of Impact Damage in S-2 Glass Composite Missile Casings Using Complementary Vibration and Wave Propagation Approaches, 47(4), 497–509.

Tweedie, C.A.—Multiscale Creep Compliance of Epoxy Networks at Elevated Temperatures, 47(1), 99–105.

Van Vliet, K.J.—Multiscale Creep Compliance of Epoxy Networks at Elevated Temperatures, 47(1), 99–105.

Vangi, D.—A Practical Practical Application of Ultrasonic Thermal Stress Monitoring in Continuous Welded Rails, 47(5), 617–623.

VanLandingham, M.R.—Multiscale Creep Compliance of Epoxy Networks at Elevated Temperatures, 47(1), 99–105.

Vaziri, A.—Flexible Probes for Characterizing Surface Topology: From Biology to Technology, 47(3), 417–425.

Vecchio, K.S.—Influence of Molecular Conformation on the Constitutive Response of Polyethylene: A Comparison of HDPE, UHMWPE and PEX, 47(3), 381–393.

Vecchio, K.S.—Superlasticity in a New BioImplant Material: Ni-rich 55NiTi Alloy, 47(3), 365–371.

Virga, A.—A Practical Practical Application of Ultrasonic Thermal Stress Monitoring in Continuous Welded Rails, 47(5), 617–623.

Volinsky, A.A.—Stress and Moisture Effects on Thin Film Buckling Delamination, 47(1), 163–170.

Walsh, S.M.—Identification of Impact Damage in S-2 Glass Composite Missile Casings Using Complementary Vibration and Wave Propagation Approaches, 47(4), 497–509.

Wang, M.—On the Development of a Mesoscale Friction Tester, 47(1), 123–131.

Wang, Z.Y.—Statistical Analysis of the Effect of Intensity Pattern Noise on the Displacement Measurement Precision of Digital Image Correlation Using Self-correlated Images, 47(5), 701–707.

Waters, P.—Stress and Moisture Effects on Thin Film Buckling Delamination, 47(1), 163–170.

Weerasooriya, T.—Radial Inertia Effects in Kolsky Bar Testing of Extra-soft Specimens, 47(5), 659–670.

White, S.R.—Cure- dependent Viscoelastic Poisson's Ratio of Epoxy, 47(2), 237–249.

Willms, R.B.—Influence of Molecular Conformation on the Constitutive Response of Polyethylene: A Comparison of HDPE, UHMWPE and PEX, 47(3), 381–393.

Xia, Z.—Shell Buckling of Imperfect Multiwalled Carbon Nanotubes—Experiments and Analysis, 47(1), 153–161.

Xu, D.—On the Development of a Mesoscale Friction Tester, 47(1), 123–131.

Yasa, T.—Accurate Turbine Inertia Measurement, 47(5), 693–700.

Yeo, C.-D.—Nanomechanical Property and Nanowear Measurements for Sub-10-nm Thick Films in Magnetic Storage, 47(1), 107–121.

Zhang, D.—Methods for Examining the Fatigue and Fracture Behavior of Hard Tissues, 47(3), 325–336.

Zhu, Y.—Experimental Techniques for the Mechanical Characterization of One-Dimensional Nanostructures, 47(1) 7–24.

Zhuang, S.—An *In Situ* Ultrasonic Technique for Simultaneous Measurement of Longitudinal and Shear Wave Speeds in Solids, 47(6), 753–759.

Zuccarello, B.—Residual Stress Analysis of Orthotropic Materials by the Through-hole Drilling Method, 47(2), 217–236.